



CERTIFICATE OF ANALYSIS

COA No:	MRK-46756795-0
Supersedes:	None
COA Date	1/20/23
Page 5 of 8	

Silliker Canada Co., Markham Laboratory

90 Gough Road, Unit 4, Markham, Ontario L3R 5V5
 Tel. 877-777-6375 Fax. 905-479-4645
 Email: getresults-mweca@mxns.com

TO:

Ms. Michelle Wallbank
 Quality Control Manager
 Puretap Water Distillers
 950 Verbena Road
 Mississauga, ON L5T 1T6

Received From:	Mississauga, ON
Received Date:	1/6/23

Location of Test: (except where noted)	Markham, Ontario
---	------------------

Analytical Results

Laboratory ID: 424395727 **Condition Rec'd:** NORMAL **Temp Rec'd (°C):** 22.8
Desc. 1: B
Desc. 2: 10L Spring PR23005PT13:00D Jan 5/23

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Method Reference</u>	<u>Method</u>	<u>Test Date</u>	<u>Loc.</u>
Dissolved Solids	333.0	mg/L	SMEWW 2540C		1/17/23	
* ICP MS Full Mineral Screen			AOAC2015.01Mod<2232>	M-C043 / M-C032d	1/12/23	BRN
Aluminum	0.002	ppm (w/v)				
Antimony	0.0003	ppm (w/v)				
Arsenic	<0.0001	ppm (w/v)				
Barium	0.0640	ppm (w/v)				
Beryllium	<0.0001	ppm (w/v)				
Bismuth	<0.0002	ppm (w/v)				
Boron	0.011	ppm (w/v)				
Cadmium	<0.00001	ppm (w/v)				
Calcium	85.4	ppm (w/v)				
Calcium	85.4	ppm (w/v)				
Chromium	0.0001	ppm (w/v)				
Cobalt	<0.0001	ppm (w/v)				
Copper	0.0002	ppm (w/v)				
Iron	<0.01	ppm (w/v)				
Lead	<0.0001	ppm (w/v)				
Lithium	0.002	ppm (w/v)				
Magnesium	16.6	ppm (w/v)				
Magnesium	16.6	ppm (w/v)				
Manganese	<0.0002	ppm (w/v)				
Mercury	<0.00005	ppm (w/v)				
Molybdenum	0.0002	ppm (w/v)				
Nickel	0.0002	ppm (w/v)				
Phosphorus	<0.01	ppm (w/v)				
Potassium	1.33	ppm (w/v)				
Selenium	<0.001	ppm (w/v)				
Silver	<0.0002	ppm (w/v)				
Sodium	27.0	ppm (w/v)				

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.



CERTIFICATE OF ANALYSIS

Silliker Canada Co., Markham Laboratory

90 Gough Road, Unit 4, Markham, Ontario L3R 5V5
 Tel. 877-777-6375 Fax. 905-479-4645
 Email: getresults-mweca@mxns.com

COA No:	MRK-46756795-0
Supersedes:	None
COA Date	1/20/23
Page 6 of 8	

TO:

Ms. Michelle Wallbank
 Quality Control Manager
 Puretap Water Distillers
 950 Verbena Road
 Mississauga, ON L5T 1T6

Received From:	Mississauga, ON
Received Date:	1/6/23

Location of Test: (except where noted)	Markham, Ontario
--	------------------

Analytical Results

Laboratory ID: 424395727 Condition Rec'd: NORMAL Temp Rec'd (°C): 22.8
 Desc. 1: B
 Desc. 2: 10L Spring PR23005PT13:00D Jan 5/23

Analyte	Result	Units	Method Reference	Method	Test Date	Loc.
Sodium	27.0	ppm (w/v)				
Strontium	0.155	ppm (w/v)				
Thallium	<0.0001	ppm (w/v)				
Tin	<0.0001	ppm (w/v)				
Titanium	<0.0002	ppm (w/v)				
Uranium	0.0002	ppm (w/v)				
Vanadium	<0.0001	ppm (w/v)				
Zinc	0.0090	ppm (w/v)				
Zirconium	<0.001	ppm (w/v)				
Nitrites	<0.2	ppm (w/w)	Int'l Colorimetric	M-C044D	1/19/23	BRN
Residual Solvents			USP/NF Current Ver'n		1/19/23	BRN
Residual Solvents - Class 1	-	-				
- 1,1,1-Trichloroethane	<1	ppm (w/w)				
- 1,1-Dichloroethene	<1	ppm (w/w)				
- 1,2-Dichloroethane	<1	ppm (w/w)				
- Benzene	<1	ppm (w/w)				
- Carbon Tetrachloride	<1	ppm (w/w)				
Residual Solvents - Class 2	-	-				
- 1,2-Dichloroethene	<1	ppm (w/w)				
- 1,2-Dimethoxyethane	<1	ppm (w/w)				
- 1,4-Dioxane	<1	ppm (w/w)				
- Acetonitrile	<50	ppm (w/w)				
- Chlorobenzene	<1	ppm (w/w)				
- Chloroform	<1	ppm (w/w)				
- Cumene	<1	ppm (w/w)				
- Cyclohexane	<1	ppm (w/w)				
- N,N-Dimethylacetamide	<50	ppm (w/w)				
- N,N-Dimethylformamide	<50	ppm (w/w)				
- 2-Ethoxyethanol	<50	ppm (w/w)				

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.



CERTIFICATE OF ANALYSIS

COA No:	MRK-46756795-0
Supersedes:	None
COA Date	1/20/23
Page 7 of 8	

Silliker Canada Co., Markham Laboratory

90 Gough Road, Unit 4, Markham, Ontario L3R 5V5
 Tel. 877-777-6375 Fax. 905-479-4645
 Email: getresults-mweca@mxns.com

Received From:	Mississauga, ON
Received Date:	1/6/23

Location of Test: (except where noted)	Markham, Ontario
--	------------------

TO:
 Ms. Michelle Wallbank
 Quality Control Manager
 Puretap Water Distillers
 950 Verbena Road
 Mississauga, ON L5T 1T6

Analytical Results

Laboratory ID: 424395727 Condition Rec'd: NORMAL Temp Rec'd (°C): 22.8
 Desc. 1: B
 Desc. 2: 10L Spring PR23005PT13:00D Jan 5/23

Analyte	Result	Units	Method Reference	Method	Test Date	Loc.
- Ethylene glycol	<50	ppm (w/w)				
- Formamide	<50	ppm (w/w)				
- Hexane	<1	ppm (w/w)				
- Methanol	<50	ppm (w/w)				
- 2-Methoxyethanol	<50	ppm (w/w)				
- Methylbutylketone	<1	ppm (w/w)				
- Methylcyclohexane	<1	ppm (w/w)				
- Methylene Chloride	<1	ppm (w/w)				
- Methylisobutyl ketone	<100	ppm (w/w)				
- N-Methylpyrrolidone	<50	ppm (w/w)				
- Nitromethane	<50	ppm (w/w)				
- Pyridine	<200	ppm (w/w)				
- Sulfolane	<50	ppm (w/w)				
- Tetrahydrofuran	<1	ppm (w/w)				
- Tetralin	<1	ppm (w/w)				
- Toluene	<1	ppm (w/w)				
- Trichloroethylene	<1	ppm (w/w)				
- Xylene	<1	ppm (w/w)				
Residual Solvents - Class 3	-	-				
- 1-butanol	<100	ppm (w/w)				
- 1-pentanol	<100	ppm (w/w)				
- 1-propanol	<100	ppm (w/w)				
- 2-butanol	<100	ppm (w/w)				
- 2-methyl-1-propanol	<100	ppm (w/w)				
- 2-propanol	<100	ppm (w/w)				
- 3-methyl-1-butanol	<100	ppm (w/w)				
- Acetic acid	<100	ppm (w/w)				
- Acetone	<100	ppm (w/w)				
- Anisole	<100	ppm (w/w)				

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.



CERTIFICATE OF ANALYSIS

Silliker Canada Co., Markham Laboratory

90 Gough Road, Unit 4, Markham, Ontario L3R 5V5
 Tel. 877-777-6375 Fax. 905-479-4645
 Email: getresults-mweca@mxns.com

COA No:	MRK-46756795-0
Supersedes:	None
COA Date	1/20/23
Page 8 of 8	

TO:

Ms. Michelle Wallbank
 Quality Control Manager
 Puretap Water Distillers
 950 Verbena Road
 Mississauga, ON L5T 1T6

Received From:	Mississauga, ON
Received Date:	1/6/23

Location of Test: (except where noted) Markham, Ontario
--

Analytical Results

Laboratory ID: 424395727 Condition Rec'd: NORMAL Temp Rec'd (°C): 22.8
 Desc. 1: B
 Desc. 2: 10L Spring PR23005PT13:00D Jan 5/23

Analyte	Result	Units	Method Reference	Method	Test Date	Loc.
- Butyl acetate	<100	ppm (w/w)				
- Dimethyl sulfoxide	<100	ppm (w/w)				
- Ethanol	<100	ppm (w/w)				
- Ethyl acetate	<100	ppm (w/w)				
- Ethyl ether	<100	ppm (w/w)				
- Ethyl formate	<100	ppm (w/w)				
- Formic acid	<100	ppm (w/w)				
- Heptane	<100	ppm (w/w)				
- Isobutyl acetate	<100	ppm (w/w)				
- Isopropyl acetate	<100	ppm (w/w)				
- Methyl acetate	<100	ppm (w/w)				
- Methylene ketone	<100	ppm (w/w)				
- Pentane	<100	ppm (w/w)				
- Propyl acetate	<100	ppm (w/w)				
- tert-butylmethyl ether	<100	ppm (w/w)				
- Triethylamine	<100	ppm (w/w)				
Comment	Analysis performed on contents of capsule only					
* pH			MFHPB-03	MFHPB-03	1/9/23	
pH (average)	8.02	-				
Sample Prep	As Is	-				

Daniel Kim

Laboratory Director

Noted Test Locations: BRN-Silliker Canada Co., Burnaby Laboratory, 106-8255 North Fraser Way, Burnaby, BC V3N 0B9

/ Customer supplied information * ISO17025 Accredited Analysis † Indicates reason for COA amendment when applicable

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Mérieux NutriSciences Terms and Conditions for Services apply.